The Complex Genetics of Multiple Sclerosis

Mathew B. Cox

BSc (Biotech) (Hons)

Doctor of Philosophy, Medical Genetics

April 2013

Declaration

The thesis contains no material which has been accepted for the award of any other degree or

diploma in any university or other tertiary institution and, to the best of my knowledge and

belief, contains no material previously published or written by another person, except where

due reference has been made in the text. I give consent to the final version of my thesis being

made available worldwide when deposited in the University's Digital Repository, subject to the

provisions of the Copyright Act 1968.

I hereby certify that the work embodied in this thesis has been done in collaboration with

other researchers, or carried out in other institutions. I have included as part of the thesis a

statement clearly outlining the extent of collaboration, with whom and under what auspices.

I hereby certify that this thesis is submitted in the form of a series of published papers of which

I am a joint author. I have included as part of the thesis a written statement from each co-

author; and endorsed by the Faculty Assistant Dean (Research Training), attesting to my

contribution to the joint publications

Mathew B. Cox

Date

i

Acknowledgements

Firstly, I would like to thank my supervisors, Prof Rodney Scott, A/Prof Jeannette Lechner-Scott and Dr Nikola Bowden. I am grateful for the wealth of knowledge and experience that has been shared with me to enable my completion of this thesis, as well as the support and encouragement.

Thank you to everyone in the Information Based Medicine lab, the JHH MS Clinic, and the HAPS Molecular Genetics lab for the support, encouragement, help, and advice given so freely. But mostly, thank you for the friendship, chocolate and coffee shared. Thank you especially to Tiffany Evans for proofreading the draft of this thesis.

Thank you to my family and friends. What can I say, without your support I could not have completed this thesis. I owe you all. A lot.

I would like to thank the Macquarie Group Foundation, HMRI/PULSE, and the Multiple Sclerosis International Foundation Du Pré Grant for financial support for this project.

A special thank you to Dr Stephen Sawcer, Prof Alistair Compston, Maria Ban and Amie Baker for welcoming me into your lab, and the amazing opportunity to work with you and learn from you.

Publications included as part of the thesis

- Cox, M.B., Bowden, N.A., Scott, R.J., Lechner-Scott, J. 2013. Altered expression of the plasminogen activation pathway in peripheral blood mononuclear cells in multiple sclerosis: possible pathomechanism of matrix metalloproteinase activation. *Multiple Sclerosis Journal*, 19(10): 1268-74.
- Cox, M.B., Cairns, M.J., Gandhi, K.S., Carroll, A.P., Moscovis, S., Stewart, G.J., Broadley, S., Scott, R.J., Booth, D.R., Lechner-Scott, J. and ANZgene. 2010. MicroRNAs miR-17 and miR-20a inhibit T cell activation genes and are under-expressed in MS whole blood. PLoS One, 5(8): e12132.
- Cox, M.B., Bowden, N.A., Scott, R.J. and Lechner-Scott, J. 2013. Common genetic variants in the plasminogen activation pathway are not associated with multiple sclerosis. *Multiple Sclerosis Journal*, Available online 29 July 2013 DOI: 10.1177/1352458513498127.
- Cox, M.B., Ban, M., Bowden, N.A., Baker, A., Scott, R.J. and Lechner-Scott, J. 2011. Potential association of vitamin D receptor polymorphism Taq1 with multiple sclerosis. *Multiple Sclerosis Journal*, 18(1): 16-22.

Copyright statement

I warrant that I have obtained, where necessary, permission from the copyright owners to use any third party copyright material reproduced in the thesis, or to use any of my own published work in which the copyright is held by another.

Additional publications which have relevance to the thesis

- Australia and New Zealand Multiple Sclerosis Genetics Consortium. 2009. Genome-wide association study identifies new multiple sclerosis susceptibility loci on chromosomes 12 and 20. *Nature Genetics*, 41(7): 824-8.
- Bahlo, M., Stankovich, J., Danoy, P., Hickey, P.F., Taylor, B.V., Browning, S.R., Australia and New Zealand Multiple Sclerosis Genetics Consortium., Brown, M.A. and Rubio, J. P. 2010. Saliva-derived DNA performs well in large-scale, high-density single-nucleotide polymorphism microarray studies. *Cancer Epidemiology, Biomarkers & Prevention*, 19(3): 794-8.
- Ban, M., McCauley, J.L., Zuvich, R., Baker, A., Bergamaschi, L., Cox, M., Kemppinen, A., D'Alfonso, S., Guerini, F.R., Lechner-Scott, J., Dudbridge, F., Wason, J., Robertson, N.P., De Jager, P.L., Hafler, D.A., Barcellos, L.F., Ivinson, A.J., Sexton, D., Oksenberg, J.R., Hauser, S.L., Pericak-Vance, M.A., Haines, J., Compston, A. and Sawcer, S. 2010. A non-synonymous SNP within membrane metalloendopeptidase-like 1 (MMEL1) is associated with multiple sclerosis. *Genes and Immunity*, 11(8): 660-4.
- Booth, D.R., Heard, R.N., Stewart, G.J., Cox, M., Scott, R.J., Lechner-Scott, J., Goris, A., Dobosi, R., Dubois, B., Saarela, J., Leppa, V., Peltonen, L., Pirttila, T., Cournu-Rebeix, I., Fontaine, B., Bergamaschi, L., D'Alfonso, S., Leone, M., Lorentzen, A.R., Harbo, H.F., Celius, E.G., Spurkland, A., Link, J., Kockum, I., Olsson, T., Hillert, J., Ban, M., Baker, A., Kemppinen, A., Sawcer, S., Compston, A., Robertson, N.P., De Jager, P.L., Hafler, D.A., Barcellos, L.F., Ivinson, A.J., McCauley, J.L., Pericak-Vance, M.A., Oksenberg, J.R., Hauser, S.L., Sexton, D. and Haines, J. 2010. Lack of support for association between the KIF1B rs10492972[C] variant and multiple sclerosis. *Nature Genetics*, 42(6): 469-70.
- Gandhi, K.S., McKay, F.C., Cox, M., Riveros, C., Armstrong, N., Heard, R.N., Vucic, S., Williams, D.W., Stankovich, J., Brown, M., Danoy, P., Stewart, G.J., Broadley, S., Moscato, P., Lechner-Scott, J., Scott, R.J. and Booth, D.R. 2010. The multiple sclerosis whole blood mRNA transcriptome and genetic associations indicate dysregulation of specific T cell pathways in pathogenesis. *Human Molecular Genetics*, 19(11): 2134-43.

- International Multiple Sclerosis Genetics Consortium. 2010. IL12A, MPHOSPH9/CDK2AP1 and RGS1 are novel multiple sclerosis susceptibility loci. *Genes and Immunity*, 11(5): 397-405.
- International Multiple Sclerosis Genetics Consortium, I., Booth, D.R., Heard, R.N., Stewart, G.J., Cox, M., Scott, R.J., Lechner-Scott, J., Goris, A., Dobosi, R., Dubois, B., Saarela, J., Leppa, V., Peltonen, L., Pirttila, T., Cournu-Rebeix, I., Fontaine, B., Bergamaschi, L., D'Alfonso, S., Leone, M., Lorentzen, A.R., Harbo, H.F., Celius, E.G., Spurkland, A., Link, J., Kockum, I., Olsson, T., Hillert, J., Ban, M., Baker, A., Kemppinen, A., Sawcer, S., Compston, A., Robertson, N.P., De Jager, P.L., Hafler, D.A., Barcellos, L.F., Ivinson, A.J., McCauley, J.L., Pericak-Vance, M.A., Oksenberg, J.R., Hauser, S.L., Sexton, D. and Haines, J. 2010. Lack of support for association between the KIF1B rs10492972[C] variant and multiple sclerosis. *Nature Genetics*, 42(6): 469-70.
- Ritchie, M.E., Liu, R., Carvalho, B.S., Australia and New Zealand Multiple Sclerosis Genetics Consortium, and Irizarry, R.A. 2011. Comparing genotyping algorithms for Illumina's Infinium whole-genome SNP BeadChips. *BMC Bioinformatics*, 12: 68.
- Riveros, C., Mellor, D., Gandhi, K.S., McKay, F.C., Cox, M.B., Berretta, R., Vaezpour, S.Y., Inostroza-Ponta, M., Broadley, S.A., Heard, R.N., Vucic, S., Stewart, G.J., Williams, D.W., Scott, R.J., Lechner-Scott, J., Booth, D.R. and Moscato, P. 2010. A transcription factor map as revealed by a genome-wide gene expression analysis of whole-blood mRNA transcriptome in multiple sclerosis. *PloS One*, 5(12): e14176.
- Sawcer, S., Hellenthal, G., Pirinen, M., Spencer, C.C., Patsopoulos, N.A., Moutsianas, L., Dilthey, A., Su, Z., Freeman, C., Hunt, S.E., Edkins, S., Gray, E., Booth, D.R., Potter, S.C., Goris, A., Band, G., Oturai, A.B., Strange, A., Saarela, J., Bellenguez, C., Fontaine, B., Gillman, M., Hemmer, B., Gwilliam, R., Zipp, F., Jayakumar, A., Martin, R., Leslie, S., Hawkins, S., Giannoulatou, E., D'Alfonso, S., Blackburn, H., Boneschi, F.M., Liddle, J., Harbo, H.F., Perez, M.L., Spurkland, A., Waller, M.J., Mycko, M.P., Ricketts, M., Comabella, M., Hammond, N., Kockum, I., McCann, O.T., Ban, M., Whittaker, P., Kemppinen, A., Weston, P., Hawkins, C., Widaa, S., Zajicek, J., Dronov, S., Robertson, N., Bumpstead, S.J., Barcellos, L.F., Ravindrarajah, R., Abraham, R., Alfredsson, L., Ardlie, K., Aubin, C., Baker, A., Baker, K., Baranzini, S.E., Bergamaschi, L., Bergamaschi, R., Bernstein, A., Berthele, A., Boggild, M., Bradfield, J.P., Brassat, D., Broadley, S.A., Buck, D., Butzkueven, H., Capra, R., Carroll, W.M., Cavalla, P., Celius, E.G., Cepok, S., Chiavacci, R., Clerget-Darpoux, F., Clysters, K., Comi, G., Cossburn, M., Cournu-Rebeix, I., Cox,

M.B., Cozen, W., Cree, B.A., Cross, A.H., Cusi, D., Daly, M.J., Davis, E., de Bakker, P.I., Debouverie, M., D'Hooghe, M.B., Dixon, K., Dobosi, R., Dubois, B., Ellinghaus, D., Elovaara, I., Esposito, F., Fontenille, C., Foote, S., Franke, A., Galimberti, D., Ghezzi, A., Glessner, J., Gomez, R., Gout, O., Graham, C., Grant, S.F., Guerini, F.R., Hakonarson, H., Hall, P., Hamsten, A., Hartung, H.P., Heard, R.N., Heath, S., Hobart, J., Hoshi, M., Infante-Duarte, C., Ingram, G., Ingram, W., Islam, T., Jagodic, M., Kabesch, M., Kermode, A.G., Kilpatrick, T.J., Kim, C., Klopp, N., Koivisto, K., Larsson, M., Lathrop, M., Lechner-Scott, J.S., Leone, M. A., Leppa, V., Liljedahl, U., Bomfim, I.L., Lincoln, R.R., Link, J., Liu, J., Lorentzen, A.R., Lupoli, S., Macciardi, F., Mack, T., Marriott, M., Martinelli, V., Mason, D., McCauley, J.L., Mentch, F., Mero, I.L., Mihalova, T., Montalban, X., Mottershead, J., Myhr, K.M., Naldi, P., Ollier, W., Page, A., Palotie, A., Pelletier, J., Piccio, L., Pickersgill, T., Piehl, F., Pobywajlo, S., Quach, H.L., Ramsay, P.P., Reunanen, M., Reynolds, R., Rioux, J.D., Rodegher, M., Roesner, S., Rubio, J.P., Ruckert, I.M., Salvetti, M., Salvi, E., Santaniello, A., Schaefer, C.A., Schreiber, S., Schulze, C., Scott, R.J., Sellebjerg, F., Selmaj, K.W., Sexton, D., Shen, L., Simms-Acuna, B., Skidmore, S., Sleiman, P.M., Smestad, C., Sorensen, P.S., Sondergaard, H.B., Stankovich, J., Strange, R.C., Sulonen, A.M., Sundqvist, E., Syvanen, A.C., Taddeo, F., Taylor, B., Blackwell, J.M., Tienari, P., Bramon, E., Tourbah, A., Brown, M.A., Tronczynska, E., Casas, J.P., Tubridy, N., Corvin, A., Vickery, J., Jankowski, J., Villoslada, P., Markus, H.S., Wang, K., Mathew, C.G., Wason, J., Palmer, C.N., Wichmann, H.E., Plomin, R., Willoughby, E., Rautanen, A., Winkelmann, J., Wittig, M., Trembath, R.C., Yaouanq, J., Viswanathan, A.C., Zhang, H., Wood, N.W., Zuvich, R., Deloukas, P., Langford, C., Duncanson, A., Oksenberg, J.R., Pericak-Vance, M.A., Haines, J.L., Olsson, T., Hillert, J., Ivinson, A.J., De Jager, P.L., Peltonen, L., Stewart, G.J., Hafler, D.A., Hauser, S.L., McVean, G., Donnelly, P. and Compston, A. 2011. Genetic risk and a primary role for cell-mediated immune mechanisms in multiple sclerosis. Nature, 476(7359): 214-9.

Conference presentations which have relevance to the thesis

- Cox, M.B., Scott, R.J., Stankovich, J, Kermode, A., Cortes, A., Brown, M.A., Lechner-Scott, J., Wiley J., and ANZgene. 2011. The P2X7 receptor: Interaction with a HLA Class II allele which modulates the autoantibody response in Multiple Sclerosis. *MSRA Progress in MS Research Conference*, Melbourne, Australia 26-28 October 2011.
- Cox, M.B., Cairns, M.J., Gandhi, K.S., Carroll, A.P., Stewart, G.J., Broadley, S., Scott, R.J., Booth, D.R., Lechner-Scott, J. and ANZgene. 2010. MicroRNAs miR-17 and miR-20a inhibit T cell activation genes and are under-expressed in MS whole blood. From Genes to Pathogenesis of Multiple Sclerosis, Henningsvaer, Norway, 15-19 August, 2010.
- Cox, M.B., Gandhi, K.S., Stewart, G.J., Broadley, S., Booth, D.R., Scott, R.J., Lechner-Scott, J., and ANZgene Multiple Sclerosis Genetics Consortium. 2009. MicroRNA and its potential role in multiple sclerosis. *Progress in MS Research Conference*, Sydney, Australia 14-17 October, 2009.
- Cox, M.B., Bowden, N.A., Scott, R.J., Lechner-Scott, J. 2009. Gene expression profiling in multiple sclerosis. The 9th Annual meeting of the Australasian Microarray and Associated Technologies Association (AMATA), Katoomba, NSW, Australia 18-21 October, 2009.
- Cox, M.B., Bowden, N.A., Moscato, P., Berretta, R., Scott, R.J., Lechner-Scott, J. 2007. Memetic Algorithms as a new method to interpret gene expression profiles in multiple sclerosis.
 23rd Congress of the European Committee for Treatment and Research in Multiple Sclerosis/12th Annual Conference of Rehabilitation in MS, Prague, Czech Republic, October 11-14, 2007.
- Cox, M.B., Bowden, N.A., Moscato, P., Berretta, R., Scott, R.J., and Lechner-Scott, J. 2007. The complex Genetics of Multiple Sclerosis. *Australian Society of Medical Research, NSW, XVI Scientific Meeting, Sydney*, Australia, 4 June, 2007.

Table of Contents

Declaration	
Acknowledgements	ii
Publications included as part of the thesis	iii
Copyright statement	iii
Additional publications which have relevance to the thesis	iv
Conference presentations which have relevance to the thesis	vii
Abstract	1
Chapter One – Introduction: The Complex Genetics of Multiple Sclerosis	3
Multiple Sclerosis	5
Prevalence	5
Subtypes	6
Pathology	6
Aetiology	8
Current disease modifying therapies and pharmacogenomics	20
Future	21
Chapter Two – RNA Expression Profiling in Multiple Sclerosis	23
Introduction	25
Publication One	27
Co-author Statement	28
Altered expression of the plasminogen activation pathway in peripheral	l blood
mononuclear cells in multiple sclerosis: possible pathomechanism of	
metalloproteinase activation	29
Publication Two	45
Co-author statement	46
MicroRNAs miR-17 and mir-20a inhibit T cell activation genes and are under-expression	
MS whole blood	
Chapter Three - Candidate Gene SNP Association Studies in Multiple Sclerosis	65

Introduction
Publication Three
Co-author statement
Common genetic variants in the plasminogen activation pathway are not associated with
multiple sclerosis
Publication Four
Co-author statement
Potential association of vitamin D receptor polymorphism Taq1 with multiple sclerosis. 79
Chapter Four - Discussion
Discussion
Gene expression
miRNA expression
Vitamin D Receptor
Plasminogen Activation Pathway 102
Conclusion
Future Directions
Bibliography
Appendices
Appendix One: Supplementary material for Publication One
Altered expression of the plasminogen activation pathway in peripheral blood
mononuclear cells in multiple sclerosis: possible pathomechanism of matrix
metalloproteinase activation
Appendix Two: Supplementary material for Publication Two
MicroRNAs miR-17 miR-20a Inhibit T Cell activation Genes and Are Under-Expressed in MS
Whole Blood
Appendix Three: Supplementary material for Publication Three
Common genetic variants in the plasminogen activation pathway are not associated with
multiple sclerosis

Abstract

Multiple sclerosis (MS) is an autoimmune disorder directed against the central nervous system (CNS). While it is known that lymphocytes can cross the blood brain barrier from the periphery, resulting in inflammatory lesions in the brain and spinal cord, the underlying aetiology of MS remains unknown. Current evidence suggests that the risk of developing MS is a result of both genetic and environmental factors. At least 57 genetic loci have been confirmed to be associated with MS, with DRB1*1501 showing the strongest effect. Alone these associated genes do not explain all of the predicted genetic contribution that underlies MS. Environmental factors, including low levels of vitamin D and smoking, have also been associated with an increased risk of developing MS, and together with genetic risk factors are thought to contribute significantly to the likelihood of developing disease.

The aim of this study was to investigate variation in the transcriptome and genome of MS patients, to identify genes, and pathways that interact with environmental factors that could potentially explain the risk of developing MS.

In this thesis, several levels of genetic investigation were undertaken which were then correlated with potential factors that interact with the environment. Initially a whole-genome gene expression study comparing MS cases against healthy controls was undertaken which revealed a predominance of genes involved in the immune system. Interestingly, four of the dysregulated genes form part of the plasminogen activation pathway, including *MMP9*, which is thought to be involved in the break-down of the blood brain barrier.

To investigate potential causes of this dysregulation in the plasminogen activation pathway, I performed a candidate gene SNP association study, investigating 17 common variants within these four genes, in over 4500 samples. There was no association of any variant investigated and MS risk, nor did genotype correlate with gene expression.

The role of miRNA and its association with gene expression in MS was undertaken where I identified an expression profile, unique to MS compared to healthy controls. Two of the miRNAs, miR-17 and miR-20a which were significantly under-expressed in MS were further investigated, and found to target genes involved in T cell activation. It appears from this study that the dysregulation of miRNAs observed in this study may result in increased T cell activation, as seen in MS.